

MILTON NORTH CAROLINA TOWN HALL/TDH

TUESDAY: October 12, 2021---7:00 PM. AGENDA

Town Hall Hours: Tuesdays 9:00 am.-5:00 pm.

Thursdays- 4:00 pm.-7:00 pm. Payments Only

ATTENTION: Contact Town Hall by 2:00 p.m. on the Tuesday the day of the Town Meeting and leave your name and your reason if you would like to speak at Public Comments.

IF WATER IS SHUT OFF DUE TO NON-PAYMENT THERE IS A \$50.00 RECONNECTION FEE AFTER FULL AMOUNT IS PAID. WATER WILL BE CUT BACK ON WITHIN 24 HRS.

Starting March 9, 2021, residents will be responsible for the cost of replacing and or repairing the black and white filter on the top of the green tank if the filter device is brokenf.

NOTICE TO WATER CUSTOMERS:

- ✚ On June 8, 2021, the Milton Town Board voted to hold water customers out of compliance of their wastewater system responsible for full cost of replacing the pump including labor.
- ✚ The first offense of noncompliance will result in a warning letter describing and showing the issues of noncompliance.
- ✚ The second offense of noncompliance will result in the full cost of replacing pump plus labor, charged to the water customer. Please review “Care for Your Water System” notification mailed out in the April 20, 2021, water billing.

CALL MEETING TO ORDER

PLEDGE OF ALLEGIANCE

APPROVALS:

Approval of Agenda for October 12, 2021

Approval of Minutes for September 14, 2021

MAYOR REPORT:

STAFF REPORTS:

OLD BUSINESS:

- **Commissioner John Wallace: Update on Privatizing Water System**
- **Mayor Patricia Williams: ARP Monies**
- **Mayor Patricia Williams: CARES ACT Monies**
- **Mayor Patricia Williams: Milton Town Maintenance Ordinance**
- **Mayor Patricia Williams: Milton Planning Board Ordinance**
- **Mayor Patricia Williams: Dewberry Proposal**
- **Mayor Patricia Williams: Computer Upgrade at the Pump House**

NEW BUSINESS:

COUNCIL MEMBERS REPORTS:

Commissioner Cathia Stewart: EDC Reports for October 11, 2021

PUBLIC COMMENTS:

CLOSE OF MEETING:

ZONING PLANNING BOARD MEETINGS: WILL ZOOM 2ND MONDAY IN EACH MONTH.